

WHAT IS CLAIMED IS:

Sub
a'
1. An information display apparatus including a sensor input unit inputting sensor data, a character/coordinate input unit inputting characters and coordinates, a work processing unit executing a plurality of kinds of work processing and outputting results of the work processing based on respective data inputted from said sensor input unit and said character/coordinate input unit, and a display unit displaying the results of the plurality of kinds of work processing outputted from said work processing unit, said information display apparatus comprising:

a display form detector unit detecting display form data for said display unit;

arrangement rule storing means for storing an arrangement rule defining display forms corresponding to each of said plurality of kinds of work processing; and

a display arrangement control unit comparing display form data detected by said display form detector unit with the arrangement rule stored in said arrangement rule storing means for each work to output a predetermined display arrangement instruction, and

said work processing unit outputting the result of each of said plurality of kinds of work processing in a predetermined display form in accordance with said display arrangement instruction.

2. An information display apparatus according to claim 1, wherein said display form data detected in said display form detector unit is a display resolution, and the

09808127.031504

Sub
A1
arrangement rule stored in said arrangement rule storing means comprises display areas set in accordance with the display resolution and display formats.

3. An information display apparatus according to claim 1, wherein said display form data detected in said display form detector unit is the number of display colors, and the arrangement rule stored in said arrangement rule storing means comprises the numbers of display colors and display formats.

4. An information display apparatus according to claim 1, wherein said display form data detected in said display form detector unit is a drawing speed, and the arrangement rule stored in said arrangement rule storing means comprises drawing speeds and display formats.

5. An information display apparatus comprising a sensor input unit for inputting sensor data, a character/coordinate input unit for inputting characters and coordinates, a work processing unit for executing a plurality of kinds of work processing and outputting results of the work processing based on respective data inputted from said sensor input unit and said character/coordinate input unit, and a display unit for displaying the results of the plurality of kinds of work processing outputted from said work processing unit, said information display apparatus further comprising:

arrangement rule storing means for storing an arrangement rule defining display forms corresponding to each of said plurality of kinds of work processing; and

09808127.031501
TESTED 7/27/80

Sub
a'
display arrangement control unit for comparing
work processing data detected by said work processing unit
with the arrangement rule stored in said arrangement rule
storing means for each work to output a predetermined
display arrangement instruction,

said work processing unit outputting the result
of each of said plurality of kinds of work processing in a
predetermined display form in accordance with said display
arrangement instruction.

6. An information display apparatus according to
claim 5, wherein said work processing data detected in said
work processing unit is a computation speed, and the
arrangement rule stored in said arrangement rule storing
means comprises computation speeds and display formats.

7. An information display apparatus according to
claim 5, wherein said work processing data detected in said
work processing unit is the number of works, and the
arrangement rule stored in said arrangement rule storing
means comprises the numbers of works and display formats.

8. An information display apparatus according to
claim 5, wherein said work processing data detected in said
work processing unit is a work load, and the arrangement
rule stored in said arrangement rule storing means
comprises work loads and display formats.

9. An information display apparatus according to
claim 5, wherein said work processing data detected in said
work processing unit is work priority, and the arrangement
rule stored in said arrangement rule storing means

09803127-031501
TESTED 228860

comprises work priority levels and display formats.

10. An information display apparatus adapted to receive sensor data and character and coordinate data, execute a plurality of kinds of work processing based on respective inputted data, and display results of execution on a display unit,

wherein said information display apparatus detects a display format of said information display apparatus itself, converts each of inputted data in accordance with a detected display form, and outputs converted data.

11. An information display apparatus according to claim 10, wherein said display form is a resolution of a display unit of said information display apparatus.

12. An information display apparatus according to claim 11, wherein each of said inputted data is analog data, and said analog data is converted to digital data and outputted when the resolution of the display unit of said information display apparatus is detected to be equal to or lower than a threshold value.

13. An information display apparatus according to claim 10, wherein said display form is a display area of the display unit of said information display apparatus.

14. An information display apparatus according to claim 11, wherein each of said inputted data is analog data, and said analog data is converted to digital data and outputted when the display area of the display unit of said information display apparatus is detected to be equal to or

POSTED 22 FEB 1960

Sub
A1

lower than a threshold value.

15. A method of operating an information display apparatus comprising a sensor input unit inputting sensor data, a character/coordinate input unit inputting characters and coordinates, a work processing unit executing a plurality of kinds of work processing and outputting results of the work processing based on respective data inputted from said sensor input unit and said character/coordinate input unit, and a display unit displaying the results of the plurality of kinds of work processing outputted from said work processing unit, comprising the steps of:

detecting display form data for said display unit by a display form detector unit;

storing an arrangement rule defining display forms corresponding to each of said plurality of kinds of work processing in a storage unit;

comparing display form data detected by said display form detector unit with the arrangement rule stored in said storage unit for each work by a display arrangement control unit to output a predetermined display arrangement instruction; and

outputting the result of each of said plurality of kinds of work processing in a predetermined display form in accordance with said display arrangement instruction in said work processing unit.

16. A computer-readable recording medium for storing a program for causing a computer to operate an information

09808127-031501

Sub
A

*See
a'*

display apparatus comprising a sensor input unit inputting sensor data, a character/coordinate input unit inputting characters and coordinates, a work processing unit executing a plurality of kinds of work processing and outputting results of the work processing based on respective data inputted from said sensor input unit and said character/coordinate input unit, and a display unit displaying the results of the plurality of kinds of work processing outputted from said work processing unit, said program comprising:

program means for causing said computer to detect display form data for said display unit;

program means for causing said computer to store an arrangement rule defining display forms corresponding to each of said plurality of kinds of work processing;

program means for causing said computer to compare said detected display form data with said stored arrangement rule for each work to output a predetermined display arrangement instruction; and

program means for causing said computer functioning as said work processing unit to output the result of each of said plurality of kinds of work processing in a predetermined display form in accordance with said display arrangement instruction.

09808127.031501
FOI